

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
	IS	POT: 50%; CUT: 1.50	P+1+M	Hmax cornisa=10; Hmax coama=14
	SP1	POT: 10%; CUT: 0.10	P	
	SP2	POT: 50%; CUT: -	-	

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
UTR 2	LiZP1	POT: 30%, CUT: 0,60	P+1	Hmax cornisa=6; Hmax coama=8
	IS - situate in zona de protectie a monumentului DB-II-m-B-17431 - Biserica "Sf. Arhangheli Mihail si Gavriil"	POT: 30%, CUT: 0,60	P+1	Hmax cornisa=6; Hmax coama=8
	GC	POT: 50%; CUT: 1,00	P	

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
UTR 3	Li	POT: 30%, CUT: 0,90	P+1+M	Hmax cornisa=8; Hmax coama=11,5
	IS	POT: 50%; CUT: 1.50	P+1+M	Hmax cornisa=10; Hmax coama=14
	ID	POT: 60%; CUT: 1,8	P+2E	Hmax cornisa=12/tehnologic; Hmax coama=15/tehnologic
	A	POT: 60%; CUT: 1.80	P+2E	Hmax cornisa=12/tehnologic; Hmax coama=15/tehnologic
	SP1	POT: 10%; CUT: 0.10	P	
	SP2	POT: 50%; CUT: -		
	GC/TE	POT: 50%; CUT: tehnologic	tehnologic	

UNITATI TERITORIALE DE REFERINTA		
UTR	SUBZONE	INDICATORI
UTR 4	A	CONFORM PUZ APROBAT

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
UTR 5	A	POT: 60%; CUT: 1.80	P+2E	Hmax cornisa=12/tehnologic; Hmax coama=15/tehnologic
	ID	POT: 60%; CUT: 1.80	P+2E	Hmax cornisa=12/tehnologic; Hmax coama=15/tehnologic

UNITATI TERITORIALE DE REFERINTA		
UTR	SUBZONE	INDICATORI
UTR 6	Li	CONFORM PUZ APROBAT

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
	IS	POT: 50%; CUT: 1,5	P+1+M	Hmax cornisa=10; Hmax coama=14
	SP1	POT: 10%; CUT: 0,10	-	

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
UTR 8	LiZP2	POT: 20%, CUT: 0,40	P+M	Hmax cornisa=4; Hmax coama=6
	IS - situate in zona de protectie a monumentului DB-II-m-B-17541 - Biserica "Sf. Arhangheli Mihail si Gavriil"	POT: 20%, CUT: 0,40	P+M	Hmax cornisa=4; Hmax coama=6
	GC	POT: 50%; CUT: 1,00	P	

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
UTR 9	Li	POT: 30%, CUT: 0,90	P+1+M	Hmax cornisa=8; Hmax coama=11,5
	A	POT: 60%; CUT: 1.80	P+2E	Hmax cornisa=12/tehnologic; Hmax coama=15/tehnologic
	SP1	POT: 10%; CUT: 0,10	-	

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
UTR 10	Li	POT: 30%, CUT: 0,90	P+1+M	Hmax cornisa=8; Hmax coama=11,5
	IS	POT: 50%; CUT: 1.50	P+1+M	Hmax cornisa=10; Hmax coama=14
	ID	POT: 60%; CUT: 1,8	P+2E	Hmax cornisa=12/tehnologic; Hmax coama=15/tehnologic
	SP1	POT: 10%; CUT: 0.10	P	
	GC/TE	POT: 50%; CUT: tehnologic	tehnologic	

UNITATI TERITORIALE DE REFERINTA				
UTR	SUBZONE	INDICATORI		
UTR 11,12,13,14, 15,16,17	ID	POT: 60%; CUT: 1,8	P+2E	Hmax cornisa=12/tehnologic; Hmax coama=15/tehnologic
	A	CONFORM PUZ APROBAT		
	GC/TE	POT: 50%; CUT: tehnologic	tehnologic	


